



Photograph No. 1. View of oak woodland at Honda Valley prior to 2002 vegetation management.



Photograph No. 2. View of eucalyptus woodland at Honda Valley prior to 2002 vegetation management.



Photograph No. 3. View of oak woodland understory at Honda Valley prior to 2002 vegetation management. Note abundant dead wood.

This space is left intentionally blank



Photograph No. 4. View of oak woodland at Honda Valley after 2002 vegetation management in which lower branches were “limbed.”



Photograph No. 5. View of oak woodland at Honda Valley after 2002 vegetation management in which lower branches were “limbed.”



Photograph No. 6. View of oak woodland at Honda Valley after 2002 vegetation management in which lower branches were “limbed.”



Photograph No. 7. View of eucalyptus woodland at Honda Valley after 2002 vegetation management in which trees where thinned.



Photograph No. 8. View of oak woodland at Skofield Park after 2000 vegetation management in which lower branches were “limbed.”



Photograph No. 9. View of oak woodland at Skofield Park after 2000 vegetation management in which lower branches were “limbed.”



Photograph No. 10. View of oak woodland at Skofield Park after 2000 vegetation management in which lower branches were “limbed.”



Photograph No. 11. View of oak woodland at Skofield Park after 2000 vegetation management in which lower branches were “limbed.”



Photograph No. 12. View of oak woodland near Circle Drive prior to 2002 vegetation management



Photograph No. 13. View of oak woodland understory at Circle Drive prior to 2002 vegetation management



Photograph No. 14. View of oak woodland near Circle Drive after 2002 vegetation management in which lower branches were “limbed.”




Photograph No. 15. View of oak woodland near Circle Drive after 2002 vegetation management in which lower branches were “limbed.”




Photograph No. 16. View of soils in the oak woodland near Circle Drive after 2002 vegetation management in which lower branches were “limbed.”

This space is left intentionally blank



Photograph A. View of foothills from Dwight Murphy fields near East Beach. Partially obscured by trees and haze.



Photograph B. View of foothills from Dwight Murphy fields near East Beach. Fully obscured by trees and haze.




Vegetation management units  
and defensible space areas  
may also be difficult to observe  
when traveling in a vehicle

Photograph C. View of foothills from Cabrillo Boulevard. No obstructions, but views are very distant.



Photograph D. View of foothills from Chase Palm Park. Views are obscured by trees.



Dense greenery on the far hillsides often  
mask any focused vegetation thinning

Photograph E. View of foothills from Santa Barbara Zoo playing fields.



Dense greenery on the far hillsides often  
mask any focused vegetation thinning

Photograph F. View of foothills from Childs Estate.



Oblique photograph of the City of Santa Barbara showing selected vegetation management units